

Regupol 6015H

Rubber Shockpad

Positioning Description

- Prefabricated shockpad supplied by a company certified according ISO 9001:2000 for quality control and ISO 14001 for environmental care.
- REGUPOL 6015H is a durable high quality shockpad which is mainly used for indoor sports flooring systems. We recommend that the manufacturer is consulted regarding alternative applications other than the standard sports flooring systems.
- The material is produced by bonding rubber crump with a polyurethane compound. The material is permanently flexible resulting in a lasting shock- and soundabsorption. Further the material has a relatively high density resulting in a high hardness and a high impact resistance as well as a low standard deformation and a low remaining indentation.
- The nature of the product requires (manufacturer) trained specialists to execute the installation.

Product Data

Colour Black

Storage Conditions / Shelf-Life Store the rolls horizontally in an environment where protection against damage and free flowing water is guaranteed. Rolldiameter = ± 50 cm.

Packaging	Thickness	Width	Length	Area	Nettweight	Grossweight
	4 mm	1.5 m	45 m	67.5 m ²	2.7 Kg/m ²	187 Kg/roll
	5 mm	1.5 m	35 m	52.5 m ²	3.5 Kg/m ²	181 Kg/roll
	6 mm	1.5 m	30 m	45 m ²	4.0 Kg/m ²	186 Kg/roll
	7 mm	1.5 m	21 m	31.5 m ²	4.6 Kg/m ²	152 Kg/roll
	8 mm	1.5 m	21 m	31.5 m ²	5.3 Kg/m ²	174 Kg/roll
	9 mm	1.5 m	21 m	31.5 m ²	6.0 Kg/m ²	196 Kg/roll
	10 mm	1.5 m	18 m	27 m ²	6.6 Kg/m ²	186 Kg/roll
	12 mm	1.5 m	15 m	22.5 m ²	7.9 Kg/m ²	186 Kg/roll
	14 mm	1.5 m	15 m	22.5 m ²	9.3 Kg/m ²	217 Kg/roll

Notes All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

Local Restrictions Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

Health and Safety Protective Measures

- To avoid rare allergic reactions, we recommend the use of protective gloves. Change soiled work clothes and wash hands before breaks and after finishing work.
- Local regulations as well as health and safety advice on packaging labels must be observed.
- For further information refer to the Sika Material Safety Data Sheet which is available on request.
- If in doubt always follow the directions given on the pack or label.

Important Notes

- Residues of material must be removed according to local regulations. Fully cured material can be disposed of as household waste under agreement with the responsible local authorities.
- Detailed health and safety information as well as detailed precautionary measures e.g. physical, toxicological and ecological data can be obtained from the safety data sheet.

Legal Notes

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Sika (NZ) Ltd
PO Box 19192
Avondale
Auckland
New Zealand

Phone: 0800 SIKA NZ 0800 745 269
Fax: 0800 SIKA FAX 0800 745 232
Email: info@nz.sika.com www.sika.co.nz

